

ph

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/605,684	10/17/2003	James H. Murray	65,217-003	2683	
	590 03/09/2007 OWARD ATTORNEYS	EXAMINER			
THE PINEHUR	ST OFFICE CENTER, S	AUGUSTINE, NICHOLAS			
	ARD AVENUE HILLS, MI 48304-5151	ART UNIT	PAPER NUMBER		
		2179			
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MONTHS 03/09/2007			PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application N	lo.	Applicant(s)				
Office Action Summary		10/605,684		MURRAY ET AL.				
		Examiner		Art Unit	-			
		Nicholas Augu		2179				
Period fo	The MAILING DATE of this communication app or Reply	ears on the co	ver sheet with the co	orrespondence ad	ldress			
WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE in the may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It is period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS (36(a). In no event, h will apply and will exp , cause the application	COMMUNICATION owever, may a reply be tim ire SIX (6) MONTHS from to become ABANDONED	l. ety filed he mailing date of this c O (35 U.S.C. § 133).				
Status			,					
1)	Responsive to communication(s) filed on <u>08 De</u>	ecember 2006			•			
•—	This action is FINAL . 2b) ☐ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
٠,۵	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	ion of Claims							
4)⊠	Claim(s) 1-39 is/are pending in the application.							
-	4a) Of the above claim(s) is/are withdrawn from consideration.							
	5) Claim(s) is/are allowed.							
,	5)⊠ Claim(s)is/are allowed. 5)⊠ Claim(s) <u>1-39</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
<i>,</i> —	Claim(s) are subject to restriction and/or	r election reau	irement.	-				
·								
	ion Papers							
, —	The specification is objected to by the Examine		_					
10)⊠ The drawing(s) filed on <u>17 October 2003</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.								
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
2) Notice	t (s) See of References Cited (PTO-892) See of Draftsperson's Patent Drawing Review (PTO-948) Smation Disclosure Statement(s) (PTO/SB/08) Ser No(s)/Mail Date 12/08/2006	· ·	Interview Summary Paper No(s)/Mail Da Notice of Informal P Other:	ite				

Application/Control Number: 10/605,684 Page 2

Art Unit: 2179

DETAILED ACTION

A. This action is responsive to the following communicants: Amendment filed 12/08/2006: This action is made Final.

- **B.** Claims 1-39 are pending in the case. Claims 1,20,24 and 35 are independent and are amended. Dependent claims are original.
- **C.** Claims 1-13,15-33 and 35-39 are rejected by Wink in view of Bove et al. in moot of new grounds of rejection.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-13,15-33 and 35-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wink Communications

 (http://web.archive.org/web/19991012081750/http://wink.com/) in view of Bove et al (Adding Hyperlinks to Digital Television).).

As to independent claim 1, Wink teaches a method of retrieving information associated with an object present in a media stream (E Page 3), said method comprising the steps of: defining a user-selectable region in a layer separate from the

media stream (E Page 6; Wink Studio) without accessing individual frames of the media stream (E Page 6, figures 1 and 2; in figure 1 the white-box in the development window is the space allotted for the media stream, while the graphics located in at the bottom of the development window are context and defined user-selectable regions whom which are present during the set duration of time of the media stream. Those skilled in the art will appreciate the fact that adding a set graphical area below/on top of the media stream will result in not having to access every frame individually for creation/edit purposes by the operator.)

Wink teaches the user- selectable region corresponding to the object present in the media stream (E Page 11; User is selecting object to order a video); defining a link to the information associated with the object (E Page 6, Wink Studio); linking the user-selectable region in the layer to the link for the information associated with the object (E Page 6; Wink Studio); positioning the user-selectable region in the layer over the object during playback of the media stream (E Page 6 and 11; Those skilled in the art will appreciate that a user selectable area created by the developer to be placed on top of the media stream has an clickable/responsive area associated with said user selectable area also known as a hotspot); disposing the layer adjacent the media stream without interfering with playback of the media stream (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10, Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media); playing the media stream in a player (Col. 3, lines 9-10); selecting the user-selectable region from within the layer during

playback of the media (E Page 6 and E Page 11,fig.1); and accessing the information associated with the object in response to selecting the user-selectable region from within the layer (E Page 1, par. 2; selecting object will provide user with associated data and E Page 3). Wink does not specifically mention tracking however in the same field of endeavor Bove teaches tracking a position of an object present in a media stream; the user-selectable region tracks the position of the object during playback of the media stream (page 2, paragraph 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data embedding in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 2, Wink does not specifically mention a method as set forth in claim 1 wherein the step of defining the user-selectable region is further defined as the step of defining positional data for the object based upon a position and size of the object present in the media stream, whereas Bove does teach (Page 3, par. 4-5) It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1-3 "tracking objects throughout the a video scene").

As to dependent claim 3, Wink does not specifically mention a method as set forth in claim 1, further including the step of redefining the user-selectable region within

the layer in response to the object changing within the media stream, whereas Bove does teach (Page 3, par. 5 and Page 4, par. 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 4, Wink does not specifically mention a method as set forth in claim 1, wherein the step of defining the user-selectable region further includes the step of defining a plurality of user-selectable regions for the object in response to the object being present in a plurality of positions in the media stream whereas Bove does teach (Page 3, par. 5 and Page 4, par. 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 5, Wink does not specifically mention a method as set forth in claim 1, wherein the step of positioning the user-selectable region is further defined as synchronizing the user-selectable region within the layer to a position of the object in the media, whereas Bove does teach (Page 3, par. 3-4), Wink teaches without accessing individual frames of the media stream (E Page 6, figures 1 and 2; in figure 1 the white-box in the development window is the space allotted for the media stream, while the graphics located in at the bottom of the development window are context and

defined user-selectable regions whom which are present during the set duration of time of the media stream. Those skilled in the art will appreciate the fact that adding a set graphical area below/on top of the media stream will result in not having to access every frame individually for creation/edit purposes by the operator. Also Bove teaches without accessing individual frames (Page. 3, par.4). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 6, Wink teaches a method as set forth in claim 1, further including the step of displaying an icon that represents a user-selectable region present in the layer capable of being selected (E Page 1, paragraph 2 and E Page 3).

As to dependent claim 7, Wink does not specifically mention a method as set forth in claim 1, further including the step of monitoring an identifying characteristic for the object in the media stream, whereas Bove does teach (Page 3, par. 4). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 8, Wink does not specifically mention a method as set forth in claim 1, wherein the step of monitoring the identifying characteristic is further defined as monitoring the media stream for a predetermined color palette, whereas Bove does teach (Page 3, par.6; collection of pixel's each having a set color defines an object which in turns makes up the color palette). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 9, Wink does not specifically mention a method as set forth in claim 7, wherein the step of monitoring the identifying characteristic is further defined as monitoring the media stream for a predetermined symbol, whereas Bove does teach (Page 4, par.6). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 10, Wink does not specifically mention a method as set forth in claim 7, further including the step of detecting a change in the identifying characteristic and re-defining the user-selectable region within the layer in response to detecting the change of the identifying characteristic, whereas Bove does teach (Page 3, last par. and Page 4, first par.). It is obvious to one of ordinary skill in the art at the

time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 11, Wink does not specifically mention a method as set forth in claim 10, wherein the step of detecting the change in the identifying characteristic is further defined as automatically detecting the change in the identifying characteristic for the object during playback of the media stream, whereas Bove does teach (Page 3, last par. and Page 4, first par.). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 12, Wink does not specifically mention a method as set forth in claim 11, wherein the step of redefining the user-selectable region is further defined as automatically re-defining the user-selectable region within the layer in response to automatically detecting the change in the identifying characteristic for the object, whereas Bove does teach (Page 3, last par. and Page 4, first par.). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 13, Wink does not specifically mention a method as set forth in claim 1, further including the step-stopping playback of the media stream in response to selecting the user-selectable region from within the layer, whereas Bove does teach (Page 7, par. 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 15, Wink does not specifically mention a method as set forth in claim 1, further including the step of continuing playback of the media stream in response to selecting the user-selectable region from within the layer, whereas Bove does teach (Page 7, par. 1 and 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 16, Wink does not specifically mention a method as set forth in claim 15, further including the step of displaying the object information in at least one of the layer and a window separate from the layer while the playback of the media stream continues in the player, whereas Bove does teach (Page 4, par. 6; One of ordinary skill would appreciate that clicking on a an object relates to an action being

performed from the user and said action pulling up information from a URL on the World Wide Web and then having said information rendered to the screen that this information can be displayed in a native browser/window separate from the media stream). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 17, Wink teaches a method as set forth in claim 1, further including the step of establishing two-way communication between a user interacting with the layer and a provider transmitting a video signal having the media stream and the layer (E Page 3 and 11).

As to dependent claim 18, Wink teaches a method as set forth in claim 17, further including the step of collecting user data related to selection of links made during playback of the media stream present therein (E Page 9, paragraph 1).

As to dependent claim 19, Wink teaches a method as set forth in claim 18, further including the step of transmitting the user data to the provider to track the links selected from within the layer (E Page 9, paragraphs 2 and 4).

Wink teaches a player device for playing the media stream with the object therein (E Page 2, par. 2); and a layer disposed adjacent the

Application/Control Number: 10/605,684

Art Unit: 2179

media stream during playback and presenting the user-selectable region for selection by the user to access the information (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10, Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media);

<u>Note:</u> Wink and Bove provide systems, methods and teachings of interactive TV, where as the developers have an authoring tool/editor to add interactive content to the media stream to which will be broadcasted to the end-user. They both teach about user selectable objects upon which Bove goes into further depth of explaining how to track objects movements throughout a media stream and updating it accordingly with a link associated with present object's defined area/hotspot. It is appreciated by those skilled in the art that these two teachings are related by purposes set forth by a media stream having interactive hyperlinks associated with onscreen objects (graphical and video alike).

As to independent claim 20, Wink teaches a method of providing a video signal from a provider to a user (E Page 10, Figure Diagram), said method comprising the steps of: transmitting a first component of the video signal having a media steam therein (E Page 10, Wink Broadcast Server and Data Insertion); transmitting a second component of the video signal having a layer with user-selectable regions corresponding to objects present in the media stream and linked to information

associated with the object (E Page 10, Wink Broadcast Server and Data Insertion); receiving the video signal with a player (E Page 10, Wink Engines (which is in a cable box designed to handle Wink application); disposing the layer adjacent the media stream without interfering with playback of the media stream (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10, Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media); positioning the userselectable regions within the layer to the objects present in the media stream during playback (E Page 6. Operator is able to position interactive regions for the user within the creation studio's current form); and enabling the user-selectable region to allow the user to select the user-selectable regions and access the informant associated with the object (E Page 6 and E Page 11, fig. 1). Wink does not specifically mention tracking however in the same field of endeavor Bove teaches tracking a position of an object present in a media stream; the user-selectable region tracks the position of the object during playback of the media stream (page 2, paragraph 2); and synchronizing the userselectable region within the layer to a position of the object in the media stream without accessing individual frames of the media stream (page 3, paragraph 3). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented embedded in a graphical overlay (Page 2, par. 1) Also note page 3, paragraph 1- "without

accessing individual frames by use of an algorithm to figure out position of a tracked object"...

As to dependent claim 21, Wink teaches a method as set forth in claim 20, further including the step of establishing two-way communication between the user interacting with the layer and the provider transmitting the video signal (E Page 9, par. 1).

As to dependent claim 22, Wink teaches a method as set forth in claim 21, further including the step of collecting user data related to selection of links made during playback of the media stream (E Page 9, par. 2).

As to dependent claim 23, Wink teaches a method as set forth in claim 22, further including the step of transmitting the user data to the provider to track the links selected from within the layer (E Page 9, par. 4).

As to independent claim 24, Wink teaches a device for storing information associated with an object present in a media stream (E Page 10; Video Integration, where Networks add Wink into there broadcastings, it is at this location where their computers are storing information of interactive objects in media stream), said device comprising: a media stream with an object therein (E Page 3); information associate with said object (E Page 3); a layer for disposition adjacent said media stream during

playback and having a user-selectable region corresponding to said object in said media stream (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); and a link between said userselectable region and said information associated with said object for accessing said information associated with said object in response to said user-selectable region being selected (E Page 2 and E Page 12). Wink does not specifically mention tracking however in the same field of endeavor Bove teaches tracking a position of an object present in a media stream; the user-selectable region tracks the position of the object during playback of the media stream (page 2, paragraph 2); and synchronizing the userselectable region within the layer to a position of the object in the media stream without accessing individual frames of the media stream (page 3, paragraph 3). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented embedded in a graphical overlay (Page 2, par. 1).

As to dependent claim 25, Wink does not specifically mention a device as set forth in claim 24, further including positional information defined for said user-selectable region based upon a position and size of said object present in said media stream, whereas Bove does teach (Page 3, par. 4-5). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of

Application/Control Number: 10/605,684

Art Unit: 2179

Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 26, Wink does not specifically mention a device as set forth in clam 25, further including a plurality of user-selectable regions in said layer corresponding to a plurality of objects, whereas Bove does teach (Page 3, par. 5). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As dependent claim 27, Wink teaches a device as set forth in claim 24, further including an icon disposed in said layer in response to said user-selectable region being present in said layer (E Page 1, par. 2).

As to dependent claim 28, Wink teaches a device as set forth in claim 24, further including a detector (program) for monitoring and detecting an identifying characteristic for the object with said layer, whereas Murray does (Col. 2, lines 55-63).

As to dependent claim 29, Wink does not specifically mention a device as set forth in claim 28, wherein said detector is further defined as detecting a color palette, whereas Bove does teach (Page 3, par. 4-5). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 30, Wink does not specifically mention a device as set forth in claim 28, wherein said detector (program), where as Bove does teach (Page 3, par. 4-5), Wink discloses an identifying feature being of further defined as detecting a predetermined symbol (E Page 3, fig. 1). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 31, Wink teaches a device as set forth in claim 24, further including a window for displaying information associated with the object (E Page 3 and 11).

As to dependent claim 32, Wink teaches a device as set forth in claim 31, wherein said window is further defined as being displayed in said layer (Wink Studio and Video Integration E Page 6 and 10; wherein the studio the operator creates the wink application, seen in figure 1 depicted a layer for video broadcasting and a layer for information.)

Application/Control Number: 10/605,684 Page 17

Art Unit: 2179

As to dependent claim 33, Wink teaches a device as set forth in claim 32, wherein said window is further defined as being displayed in said media stream (E Page 10).

As to independent claim 35, Wink teaches a system capable of storing (Wink Software and Video Integration) and retrieving (Response Network) information associated with an object present in a media stream provided with a video signal from a provider (E Page 10), said system comprising: an editor defining a user-selectable region corresponding to the object in the media stream without accessing individual frames of the media stream and defining a link between said user-selectable region and information associated with said object (E Page 6, figures 1 and 2; in figure 1 the whitebox in the development window is the space allotted for the media stream, while the graphics located in at the bottom of the development window are context and defined user-selectable regions whom which are present during the set duration of time of the media stream. Those skilled in the art will appreciate the fact that adding a set graphical area below/on top of the media stream will result in not having to access every frame individually for creation/edit purposes by the operator.); Wink does not specifically mention tracking however in the same field of endeavor Bove teaches tracking a position of an object present in a media stream; the user-selectable region tracks the position of the object during playback of the media stream (page 2, paragraph 2); and synchronizing the user-selectable region within the layer to a position of the object in the media stream without accessing individual frames of the media stream (page 3,

paragraph 3). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented embedded in a graphical overlay (Page 2, par. 1).

As to dependent claim 36, a system as set forth in claim 35, wherein the layer is further defined as being transmitted as a component of the video signal (E Page 10; wherein the figure shows the flow of data/signals from the video integration to the wink engines).

As to dependent claim 37, a system as set forth in claim 35, wherein the layer disposed adjacent the media stream is further defined as being disposed adjacent the media stream without interfering with playback of the media stream (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10, Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media).

As to dependent claim 38, a system as set forth in claim 35, further including a plurality of user-selectable regions in said layer corresponding to a plurality of objects (E Page 12, fig.1).

Application/Control Number: 10/605,684

Art Unit: 2179

As to dependent claim 39, a system as set forth in claim 35, further including an icon disposed in said layer in response to said user-selectable region being present in said layer (E Page 1, par. 2).

5. Claim 14 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wink Communications (http://web.archive.org/web/20001206040800/wink.com/) in view of Murray et al (US 6,636,237 B1) in further view of Wink Communications (Alt. Site)

http://www.itvt.com/screenShotGallery/Intellocity & Wink Communications/page

1.html

Note: that the referenced extra site corresponds to the same software, methods and teachings as disclosed in the above primary reference. It is obvious to one of ordinary skill in the art to have combined Wink into Wink, because they are the same product.

As to dependent claim 14, Wink (Alt. Site) teaches a method as set forth in claim 13 further including the step of displaying the object information in at least one of the layer, the player, and a window separate from the layer and the player, while the playback of the media stream is stopped (Fig.1; ESPN portal page is being displayed from the interaction of the user clicking on the ESPN today selectable region on the layer which is adjacent to the media stream of a hockey game.)

As to dependent claim 34, Wink teaches a device as set forth in claim 31, wherein said window is further defined as a window separate from said layer and said media stream (Fig.1; ESPN portal page is being displayed from the interaction of the user clicking on the ESPN today selectable region on the layer which is adjacent to the media stream of a hockey game.)

It is noted that any citation to specific, pages, columns, lines, or figures in the prior art references and any interpretation of the references should not be considered to be limiting in any way. A reference is relevant for all it contains and may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art. In re Heck, 699 F.2d 1331, 1332-33, 216 USPQ 1038, 1039 (Fed. Cir. 1983) (quoting In re Lemelson, 397 F.2d 1006,1009, 158 USPQ 275, 277 (CCPA 1968)).

Response to Arguments

Applicant's arguments with respect to claims 1-39 have been considered but are most in view of the new ground(s) of rejection.

Applicant argues examiner failed to establish a prima facie case of obviousness.

The examiner disagrees. Wink and Bove provide systems, methods and teachings of interactive TV, where as the developers have an authoring tool/editor to add interactive content to the media stream to which will be broadcasted to the end-user. They both teach about user selectable objects upon which Bove goes into further depth of explaining how to track objects movements

throughout a media stream and updating it accordingly with a link associated with present object's defined area/hotspot. It is appreciated by those skilled in the art that these two teachings are related by purposes set forth by a media stream having interactive hyperlinks associated with onscreen objects (graphical and video alike). In the knowledge generally available to one of ordinary skill in the art it would have been obvious to combine Wink into Bove because Wink and Bove provide same problem sought to be solved which is providing hyperlinks in hyperlinked videos wherein is accustomed to hyperlinks, in which "clicking" on a word or graphic selects another page (page 2, paragraph 1) as disclosed by Wink and Bove. Of course those skilled in the art will appreciate the graphical buttons, menus, selectable regions presented and depicted by Wink are overlays of a video stream edited with the editor as shown in (E page 6). Therefore there is substantial evidence as mentioned above as well as more to be sought from incorporated by reference that there exist a prima facie case of obvious to combine Wink into Bove.

Applicant argues Bove is a system for merely adding hyperlinks by editing the video frame by frame is disclosed. The Examiner disagrees. Bove teaches a system for automatically tracking objects so the operator does not need to edit frame by frame. Also Bove discloses of previous well known methods and systems "Movie MapEditor" which does not access individual frames as well for it has an algorithm calculates the region's position in a video scene.

Inquires

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nicholas Augustine whose telephone number is 571-270-1056. The examiner can normally be reached on Monday - Friday: 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on 571-272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

N. Augustine

February 26, 2007

Nicholas Augustine

Examiner 2179

ı.